

Reliance Industries Limited

	Polyethylene Terephthalate	
Relpet® G5761		Copolymer PET

Product description and applications

Relpet® G5761 is bottle grade PET resin manufactured using DuPont's technology.

Relpet[®] G5761 is typically used for still water and APET sheet applications.

Features

Relpet® G5761 is engineered to provide:

- Good process ability
- Low preform AA and
- Excellent clarity / gloss in bottles

Typical properties of Relpet® G5761 are as follows

SI.	Property	Unit	Value	Range	Equipment /
No.					Test method
1	Intrinsic Viscosity (IV)	dl/g	0.76	<u>+</u> 0.02	Ubbelhode Viscometer / ASTM D 4603 - 03
2	Acetaldehyde (AA)	ppm	1.0	Max.	Head Space & Gas Chromatography / QAF-PCL-3.413
3	Colour b *	CIE	0 to -3	-	Hunterlab / QAF-PCL-3.211
4	Crystallinity	%	50	Min.	Density Gradient Column / QAF-PCL-3.415
5	Chips /g	No.	68	<u>+</u> 5	Weighment method / QAF-PCL-3.408
6	Fines	ppm	100	Max	Sieve Shaker / QAF-PCL-3.407

Certifications

Relpet[®] G5761 resin is considered safe for food-packaging applications based on compliance with FDA regulation 21 CFR Section 177.1630 and similar food contact safety regulations, manufactured as per ISO 22000 certified system (FSMS) Relpet[®] is the registered trademark of Reliance Industries Limited for its brand of Polyethylene Terephthalate resin.



RIL's Hazira PET resin test methods (Sl # 1 to 4) are accredited as per National Accredition Board for Testing & Calibration Laboratories India with certificate numbers T-0797&T-0798

Disclaimer

The information and data presented herein is true and accurate to the best of our knowledge. No warranty or guarantee expressed or implied is made regarding performance or otherwise. This information and data may not be considered as a suggestion to use our products without taking into account existing patents, or legal provisions or regulations, whether national or local.

The user of any information and/or data is advised to obtain the latest details from any of the offices of the company or its authorized agent, as the information and/or data is subject to change based on the research and development work undertaken by the company.